




K FOOTPRINT



FEATURES
Enclosed
Shake Awake™
Battery Life
Solar Failsafe™
Solar Charging
Reticles
SPECIFICATIONS
Weight [Oz]
Housing Material
Battery Type
Brightness Settings
Dimensions [In]


407K	
	OVERVIEW
	The 407K is an open reflex optical sight for subcompact pistols, improving on the previous version by adding Lock Mode, first introduced in our 2018 LEM pistol optic models. When activated, Lock Mode prevents inadvertent setting changes by locking the buttons.
Up to 50,000 Hours	
6 MOA Dot	FITS
 Red: HS407K X2	
OR	<ul style="list-style-type: none"> • Sig P365 / P322 • Canik Mete MC9 • PSA Dagger Micro • IWI Masada Slim • FN Reflex MRD • Ruger Max 9 • Taurus GX4 • Bul Armory SAS II UL
 Green: HE407K-GR X2	
1oz	IN THE BOX
7075 T6 Aluminium	<ul style="list-style-type: none"> • 407K • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 2x M3×12mm Screws • 2x M4×12mm Screws
CR1632 Battery	
10 DL & 2 NV	Body: 1.6×0.98×0.95" Window: 0.58×0.77"

507K	
	OVERVIEW
	The 507K is an open reflex optical sight for subcompact pistols, improving on the previous version by adding Lock Mode, first introduced in our 2018 LEM pistol optic models. When activated, Lock Mode prevents inadvertent setting changes by locking the buttons.
Up to 50,000 Hours	
MRS-Multi-Reticle System™ 32 MOA Ring & 2 MOA Dot	FITS
 Red: HS507K X2	
OR	<ul style="list-style-type: none"> • Sig P365 / P322 • Canik Mete MC9 • PSA Dagger Micro • IWI Masada Slim • FN Reflex MRD • Ruger Max 9 • Taurus GX4 • Bul Armory SAS II UL
 Green: HE507K-GR X2	
1oz	IN THE BOX
7075 T6 Aluminium	<ul style="list-style-type: none"> • 507K • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 2x M3×12mm Screws • 2x M4×12mm Screws
CR1632 Battery	
10 DL & 2 NV	Body: 1.6×0.98×0.95" Window: 0.58×0.77"



EPS	
	OVERVIEW
	<p>The EPS is a full-sized, enclosed handgun sight featuring an aspheric lens for a perfectly clear sight picture. EPS has an ultra-low dot height for compatibility with most factory iron sights and utilizes Holosun's K footprint. EPS includes an RMR-to-K footprint adapter plate for maximum compatibility.</p>
Up to 50,000 Hours	
<p>MRS-Multi-Reticule System™ 32 MOA Ring & 2 MOA Dot</p> <p>Red: EPS-RD-MRS</p> <p>OR</p> <p>Green: EPS-GR-MRS</p> <p>OR</p> <p>2 OR 6 MOA Dot</p>	<p>FITS</p> <ul style="list-style-type: none"> • Glock 43X / 48 MOS* • Shadow Sytems CR920 • PSA Dagger Full Size / Compact / Micro Dagger • Sig P320 / M17 / M18* • Staccato 2011*
1.4oz	
7075 T6 Aluminium	*Plate Required
CR1620 Battery	IN THE BOX
8 DL & 4 NV	<ul style="list-style-type: none"> • EPS • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 2x 6-32x6.5mm Screws • 2x 6-32x8.5mm Screws • RMR-to-K Adapter Plate
<p>Body: 1.62x1.19x0.99"</p> <p>Window: 0.90x0.63"</p>	

EPS CARRY	
	OVERVIEW
	<p>The EPS Carry is a handgun sight designed for narrower, subcompact handguns, featuring an aspheric lens for clear sight and ultra-low dot height for factory iron sight compatibility. Made of 7075 aluminum, it includes a built-in rear notch sight and uses Holosun's popular K footprint.</p>
Up to 50,000 Hours	
<p>MRS-Multi-Reticule System™ 32 MOA Ring & 2 MOA Dot</p> <p>Red: EPS-CARRY-RD-MRS</p> <p>OR</p> <p>Green: EPS-CARRY-RD-MRS</p> <p>OR</p> <p>2 OR 6 MOA Dot</p>	<p>FITS</p> <ul style="list-style-type: none"> • Glock 43x / 48 MOS* • Sig P365 / 365XL / XMacro • Springfield Hellcat OSP / RDP / PRO • Walther PDP/PDP Compact • PSA Dagger Micro • S&W Equalizer
1.23oz	
7075 T6 Aluminium	*Plate Required
CR1620 Battery	IN THE BOX
8 DL & 4 NV	<ul style="list-style-type: none"> • EPS Carry • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 2x M3x12mm Screws • 2x M4x12mm Screws • 2x 6x32-12mm Screws • RMR-to-K Adapter Plate
<p>Body: 1.62x1.07x0.95"</p> <p>Window: 0.77x0.58"</p>	



RONIN EPS CARRY

	OVERVIEW
	<p>The RONIN EPS Carry is a handgun sight designed for narrower, subcompact handguns, featuring an aspheric lens for clear sight and ultra-low dot height for factory iron sight compatibility. Made of 7075 aluminum, it includes a built-in rear notch sight and uses Holosun's popular K footprint.</p>
Up to 50,000 Hours	
<p>MRS-Multi-Reticle System™ 32 MOA Ring & 2 MOA Dot</p> <p></p> <p>Red: RONIN-EPS-CARRY-RD-MRS</p> <p>OR</p> <p></p> <p>Green: RONIN-EPS-CARRY-GR-MRS</p>	<p>FITS</p> <ul style="list-style-type: none"> • Glock 43x / 48 MOS* • Sig P365 / 365XL / XMacro • Springfield Hellcat OSP / RDP / PRO • Walther PDP/PDP Compact • PSA Dagger Micro • S&W Equalizer
1.23oz	*Plate Required
7075 T6 Aluminium	
CR1620 Battery	IN THE BOX
8 DL & 4 NV	<ul style="list-style-type: none"> • Ronin EPS Carry • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 2x M3×12mm Screws • 2x M4×12mm Screws • 2x 6×32-12mm Screws • RMsC-to-K Adapter Plate
<p>Body: 1.62×1.07×0.95"</p> <p>Window: 0.77×0.58"</p>	



SCS CARRY

	OVERVIEW
	<p>The SCS CARRY (Solar Charging Sight) is a direct attachment optic for slim, carry-sized sub-compact handguns. It attaches to Holosun-K or RMsC cut slides with included adapter plate. The SCS CARRY utilizes a solar charging system with multi-directional light sensors for auto brightness adjustment in dynamic lighting.</p>
Up to 20,000 Hours	
<p>MRS-Multi-Reticle System™ 32 MOA Ring & 2 MOA Dot</p> <p></p> <p>Green: SCS-CARRY-GR</p>	<p>FITS</p> <ul style="list-style-type: none"> • Glock 43x / 48 MOS* • Sig P365 / 365XL / XMacro • Springfield Hellcat OSP / RDP / PRO • Walther PDP/PDP Compact • PSA Dagger Micro • S&W Equalizer
1.10oz	*Plate Required
7075 T6 Aluminium	
Internal Rechargeable Battery	IN THE BOX
Auto	<ul style="list-style-type: none"> • SCS Carry • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 2x M3×12mmScrews • 2x M4×12mmScrews • 2x 6×32-12mm Screws • RMsC-to-K Adapter Plate
<p>Body: 1.6×1×0.95"</p> <p>Window: 0.90×0.63"</p>	

RMR FOOTPRINT





FEATURES
Enclosed
Shake Awake™
Battery Life
Solar Failsafe™
Solar Charging
Reticles
SPECIFICATIONS
Weight (Oz)
Housing Material
Battery Type
Brightness Settings
Dimensions (In)



407C		
☉	OVERVIEW	
☉	<p>The 407K is an open reflex optical sight designed for subcompact pistol applications. The 407K improves on the previous version by adding Lock Mode which was first introduced in our 2018 LEM pistol optic models. Lock Mode, when activated, locks the buttons preventing inadvertent setting changes.</p>	
Up to 50,000 Hours		
☉		
☉		
2 MOA Dot		
 Red: HS407C X2	<th>FITS</th>	FITS
OR  Green: HE407C-GR X2		<ul style="list-style-type: none"> • Glock Full Size / Compact MOS* • Sig P320 / M17 / M18* • S&W M&P 2.0 Series* • Walther PDP Series* • Zev OZ9 / OZ9c • Staccato 2011* • Shadow Systems MR/DR/XR920* <p><i>*Plate Required</i></p>
1.5oz	IN THE BOX	
7075 T6 Aluminium	<ul style="list-style-type: none"> • 407C • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 4x 6×32-7.5mm Short Screws • 4x 6×32-9.5mm Long Screws 	
CR1632 Battery		
10 DL & 2 NV		
Body: 1.78×1.15×1.15" Window: 0.63×0.91"		



507C

OVERVIEW	
Up to 50,000 Hours	<p>The 507C is an open reflex optical sight designed for full-sized pistol applications. The 507C improves on previous versions by adding Lock Mode which was first introduced in our 2018 LEM pistol optic models. Lock Mode, when activated, locks the buttons preventing inadvertent setting changes.</p>
MRS-Multiple Reticle System™ 32 MOA Ring & 2 MOA Dot	
 <p>Red: HS507C X2</p> <p>OR</p>  <p>Green: HE507C-GR X2</p>	
1.5oz	
7075 T6 Aluminium	
CR1632 Battery	<p>FITS</p> <ul style="list-style-type: none"> • Glock Full Size / Compact MOS* • Sig P320 / M17 / M18* • S&W M&P 2.0 Series* • Walther PDP Series* • Zev 0Z9 / 0Z9c • Staccato 2011* • Shadow Systems MR/DR/XR920* <p>*Plate Required</p>
10 DL & 2 NV	
Body: 1.78×1.15×1.15"	
Window: 0.63×0.91"	
IN THE BOX	
	<ul style="list-style-type: none"> • 507C • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 4x 6×32-7.5mm Short Screws • 4x 6×32-9.5mm Long Screws



508T



OVERVIEW	
Up to 50,000 Hours	<p>The 508T is a hard-use open reflex sight designed for handgun applications. Features include a grade 5 titanium housing with industry standard footprint, Holosun's ultra efficient 650nm Red Super LED with up to 50k hour battery life from a 1632 battery, and a Multi-Reticle System providing 2MOA dot only, 32MOA Circle only, or Circle-Dot combination.</p>
MRS-Multiple Reticle System™ 2 MOA Dot & 32 MOA Ring	
 <p>Red: HE508T-RD X2</p> <p>OR</p>  <p>Green: HE508T-GR X2</p>	
2oz	
7075 T6 Aluminium	
CR1632 Battery	<p>FITS</p> <ul style="list-style-type: none"> • Glock Full Size / Compact MOS* • Sig P320 / M17 / M18* • S&W M&P 2.0 Series* • Walther PDP Series* • Zev 0Z9 / 0Z9c • Staccato 2011* • Shadow Systems MR/DR/XR920* <p>*Plate Required</p>
10 DL & 2 NV	
Body: 1.78×1.15×1.15"	
Window: 0.63×0.91"	
IN THE BOX	
	<ul style="list-style-type: none"> • 508T • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 4x 6×32-7.5mm Short Screws • 4x 6×32-9.5mm Long Screws



509T

507COMP

OVERVIEW	
	<p>The 509T is a hard-use, nitrogen-purged enclosed LED sight designed for handgun applications. The 509T features a grade 5 titanium housing, Holosun's Super LED with up to 50k hour battery life, Multi-Reticule System, Solar Failsafe, and Shake Awake technology.</p>
Up to 50,000 Hours	
<p>MRS-Multiple Reticule System™ 2 MOA Dot & 32 MOA Ring</p>  <p>Red: HE509T-RD X2</p> <p>OR</p>  <p>Green: HE509T-GR X2</p>	
1.72oz	
7075 T6 Aluminium	
CR1632 Battery	
10 DL & 2 NV	
<p>Body: 1.6×1.16×1.13" Window: 0.66×0.9"</p>	<p>FITS</p> <ul style="list-style-type: none"> • Glock Full Size / Compact MOS* • Sig P320 / M17 / M18* • S&W M&P 2.0 Series* • Walther PDP Series* • Staccato 2011* • Shadow Systems MR/DR/XR920* • H&K VP9* <p><i>*Plate Required</i></p> <p>IN THE BOX</p> <ul style="list-style-type: none"> • 509T • Multi-Tool • Lens Cloth • User Manual • Warranty Card • RMR-to-509T Adapter • 2x 6×32-6.5mm Screws

OVERVIEW	
	<p>The 507COMP handgun sight features a large 1.1" x 0.87" lens and Holosun's Competition Reticule System (CRS) with a 540nm Green Super LED. It offers up to 50k hours of battery life. CRS includes a 2 MOA Dot, and an 8/20/32 MOA Ring with various combinations. Made from durable 7075 aluminum, it includes Shake Awake™ technology.</p>
Up to 50,000 Hours	
<p>CRS-Competition Reticule System 2 MOA Dot & 8/20/32 MOA Ring</p>  <p>Red: HS507COMP-RD</p> <p>OR</p>  <p>Green: HE507COMP-GR</p>	
1.7oz	
7075 T6 Aluminium	
CR1632 Battery	
6 DL & 2 NV	
<p>Body: 1.8×1.3×1.3" Window: 1.1×0.87"</p>	<p>FITS</p> <ul style="list-style-type: none"> • CZ Shadow 2* • Staccato 2011* • Springfield Echelon* • Glock Full Size Compact MOS* • Walther PDP Series* • Beretta 92X* • Sig P320 / M17 / M18* <p><i>*Plate Required</i></p> <p>IN THE BOX</p> <ul style="list-style-type: none"> • 507COMP • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 4x 6×32-7.5mm Short Screws • 4x 6×32-9.5mm Long Screws

RMR FOOTPRINT




FEATURES
Enclosed
Shake Awake™
Battery Life
Solar Failsafe™
Solar Charging
Reticles
SPECIFICATIONS
Weight (Oz)
Housing Material
Battery Type
Brightness Settings
Dimensions (In)


407C		
	OVERVIEW	
	<p>The 407K is an open reflex optical sight designed for subcompact pistol applications. The 407K improves on the previous version by adding Lock Mode which was first introduced in our 2018 LEM pistol optic models. Lock Mode, when activated, locks the buttons preventing inadvertent setting changes.</p>	
Up to 50,000 Hours		
2 MOA Dot		
<p>Red: HS407C X2</p> <p>OR</p> <p>Green: HE407C-GR X2</p>	<th>FITS</th>	FITS
1.5oz	<ul style="list-style-type: none"> • Glock Full Size / Compact MOS* • Sig P320 / M17 / M18* • S&W M&P 2.0 Series* • Walther PDP Series* • Zev OZ9 / OZ9c • Staccato 2011* • Shadow Systems MR/DR/XR920* <p><i>*Plate Required</i></p>	
7075 T6 Aluminium	<th>IN THE BOX</th>	IN THE BOX
CR1632 Battery	<ul style="list-style-type: none"> • 407C • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 4x 6×32-7.5mm Short Screws • 4x 6×32-9.5mm Long Screws 	
10 DL & 2 NV		
<p>Body: 1.78×1.15×1.15"</p> <p>Window: 0.63×0.91"</p>		



507C



OVERVIEW	
Up to 50,000 Hours	<p>The 507C is an open reflex optical sight designed for full-sized pistol applications. The 507C improves on previous versions by adding Lock Mode which was first introduced in our 2018 LEM pistol optic models. Lock Mode, when activated, locks the buttons preventing inadvertent setting changes.</p>
MRS-Multiple Reticle System™ 32 MOA Ring & 2 MOA Dot	
 <p>Red: HS507C X2</p>	
OR	
Green: HE507C-GR X2	<p>FITS</p> <ul style="list-style-type: none"> • Glock Full Size / Compact MOS* • Sig P320 / M17 / M18* • S&W M&P 2.0 Series* • Walther PDP Series* • Zev 0Z9 / 0Z9c • Staccato 2011* • Shadow Systems MR/DR/XR920* <p>*Plate Required</p>
1.5oz	
7075 T6 Aluminium	
CR1632 Battery	
10 DL & 2 NV	<p>IN THE BOX</p> <ul style="list-style-type: none"> • 507C • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 4x 6×32-7.5mm Short Screws • 4x 6×32-9.5mm Long Screws
<p>Body: 1.78×1.15×1.15"</p> <p>Window: 0.63×0.91"</p>	

508T



OVERVIEW	
Up to 50,000 Hours	<p>The 508T is a hard-use open reflex sight designed for handgun applications. Features include a grade 5 titanium housing with industry standard footprint, Holosun's ultra efficient 650nm Red Super LED with up to 50k hour battery life from a 1632 battery, and a Multi-Reticle System providing 2MOA dot only, 32MOA Circle only, or Circle-Dot combination.</p>
MRS-Multiple Reticle System™ 2 MOA Dot & 32 MOA Ring	
 <p>Red: HE508T-RD X2</p>	
OR	
Green: HE508T-GR X2	<p>FITS</p> <ul style="list-style-type: none"> • Glock Full Size / Compact MOS* • Sig P320 / M17 / M18* • S&W M&P 2.0 Series* • Walther PDP Series* • Zev 0Z9 / 0Z9c • Staccato 2011* • Shadow Systems MR/DR/XR920* <p>*Plate Required</p>
2oz	
7075 T6 Aluminium	
CR1632 Battery	
10 DL & 2 NV	<p>IN THE BOX</p> <ul style="list-style-type: none"> • 508T • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 4x 6×32-7.5mm Short Screws • 4x 6×32-9.5mm Long Screws
<p>Body: 1.78×1.15×1.15"</p> <p>Window: 0.63×0.91"</p>	




509T

OVERVIEW	
	<p>The 509T is a hard-use, nitrogen-purged enclosed LED sight designed for handgun applications. The 509T features a grade 5 titanium housing, Holosun's Super LED with up to 50k hour battery life, Multi-Reticle System, Solar Failsafe, and Shake Awake technology.</p>
Up to 50,000 Hours	
<p>MRS-Multiple Reticle System™ 2 MOA Dot & 32 MOA Ring</p>  <p>Red: HE509T-RD X2 OR</p>  <p>Green: HE509T-GR X2</p>	
FITS	
1.72oz	<ul style="list-style-type: none"> • Glock Full Size / Compact MOS* • Sig P320 / M17 / M18* • S&W M&P 2.0 Series* • Walther PDP Series* • Staccato 2011* • Shadow Systems MR/DR/XR920* • H&K VP9* <p>*Plate Required</p>
7075 T6 Aluminium	
CR1632 Battery	
10 DL & 2 NV	
Body: 1.6×1.16×1.13" Window: 0.66×0.9"	<p>IN THE BOX</p> <ul style="list-style-type: none"> • 509T • Multi-Tool • Lens Cloth • User Manual • Warranty Card • RMR-to-509T Adapter • 2x 6×32-6.5mm Screws




507COMP

OVERVIEW	
	<p>The 507COMP handgun sight features a large 1.1" x 0.87" lens and Holosun's Competition Reticle System (CRS) with a 540nm Green Super LED. It offers up to 50k hours of battery life. CRS includes a 2 MOA Dot, and an 8/20/32 MOA Ring with various combinations. Made from durable 7075 aluminum, it includes Shake Awake™ technology.</p>
Up to 50,000 Hours	
<p>CRS-Competition Reticle System 2 MOA Dot & 8/20/32 MOA Ring</p>  <p>Red: HS507COMP-RD OR</p>  <p>Green: HE507COMP-GR</p>	
FITS	
1.7oz	<ul style="list-style-type: none"> • CZ Shadow 2* • Staccato 2011* • Springfield Echelon* • Glock Full Size Compact MOS* • Walther PDP Series* • Beretta 92X* • Sig P320 / M17 / M18* <p>*Plate Required</p>
7075 T6 Aluminium	
CR1632 Battery	
6 DL & 2 NV	
Body: 1.8×1.3×1.3" Window: 1.1×0.87"	<p>IN THE BOX</p> <ul style="list-style-type: none"> • 507COMP • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 4x 6×32-7.5mm Short Screws • 4x 6×32-9.5mm Long Screws

DELTA POINT PRO



FEATURES	
Enclosed	
Shake Awake™	
Battery Life	
Solar Failsafe™	
Solar Charging	
Reticles	
SPECIFICATIONS	
Weight (Oz)	
Housing Material	
Battery Type	
Brightness Settings	
Dimensions (In)	

SCS 320	
☉	OVERVIEW
☉	<p>The SCS-320 (Solar Charging Sight) for P320 optics-ready handguns and DPP footprint applications attaches directly to the slide without an adapter plate. It features a solar charging system with multi-directional light sensors for automatic brightness adjustment, a 20,000-hour rechargeable battery for indefinite operation, a 30-minute high brightness mode, and a low power indicator.</p>
Up to 20,000 Hours	
☉	
☉	
<p>MRS: Multiple Reticle System</p> <p> 2 MOA Dot & 32 MOA Ring</p> <p> 32 MOA Ring</p> <p> 2 MOA Dot</p> <p>Green: SCS-PDP-GR</p>	
1.35oz	FITS
7075 T6 Aluminium	<ul style="list-style-type: none"> • Sig P320/M17/M18 • Sig P220/P226/P229 • Springfield Echelon
Internal Rechargeable Battery	IN THE BOX
Auto	<ul style="list-style-type: none"> • SCS 320 • Multi-Tool • Lens Cloth • User Manual • Warranty Card • 2x M4×10.8mm Screws
<p>Body: 1.85×1.15×1.06"</p> <p>Window: 0.90×0.63"</p>	

Competition Reticle System - CRS

The Competition Reticle System (CRS) is a feature designed to cater to competitive shooters and offers multiple reticle options such as a 2 MOA dot and an 8/20/32 MOA ring. Shooters can combine the 2 MOA dot with any of the rings, or use the rings independently. This allows for 8 different reticle combinations.

Enclosed Sight

Enclosed sights are a type of optical sight that features a fully enclosed emitter design, which helps protect the internal components from environmental factors such as dust, dirt, and moisture. These sights are popular for use on both pistols and rifles due to their durability and reliability.

Memory Function

The Memory feature allows the device to remember the last brightness settings used. This ensures that when the sight is turned back on, either manually or through motion activation, it will revert to the settings previously set by the user. This can include brightness settings and reticle preferences.

Super LED

Holosun Super LEDs have ultra-efficient power usage creating battery life as high as 50,000 hours on certain models. Holosuns Super LED technology includes Red, Green, and Gold Dot LEDs providing options that match various environments and personal preferences.

Multiple Reticle System - MRS

MRS (Multi-Reticle System) allows users to switch between different reticle options. For handgun sights you can switch between a 2 MOA dot, 32 MOA ring, or a combination of both. For Rifle Sights you can switch between a 2 MOA dot, 65 MOA ring, or a combination of both. This flexibility helps shooters tailor the reticle to their specific needs and preferences.

Open Sight

A type of sight that is not enclosed in a tube, providing a wider field of view and allowing the shooter to aim with both eyes open. Holosun's open sights often feature advanced technologies such as Solar Power, Shake-Awake™ functionality, Multi-Reticle System, and long battery life.

Shake Awake™

Shake Awake™ technology shuts the optic LED off during periods of inactivity and then as soon as the optic senses motion it will turn back on to the last used setting. The time it takes for the LED to enter Sleep Mode is programmable and can be deactivated.

Aspheric Lens

Holosun's Aspheric Lens technology is designed to provide a perfectly clear sight by minimizing distortion and aberrations which are common issues in traditional lenses. The Aspheric Lens enhances optical clarity and precision, allowing for a more accurate and undistorted view.

Solar Failsafe™

Pioneered by Holosun, Solar Failsafe™ technology allows the optic to remain powered on when the battery fails by utilizing the solar panel to power it. Optics equipped with Solar Failsafe™ feature automatic brightness adjustment.

Auto Adjust

Auto Adjust works by utilizing a sensor in the solar cell to detect the level of ambient light and then auto adjusting the reticle brightness accordingly. This is useful for maintaining optimal visibility in varying lighting environments. In bright conditions, the reticle is brighter, and in dark conditions, it will dim.

Lockout Mode

Lockout mode allows users to set their preferred optic brightness and then lock the brightness setting to prevent any accidental changes from button presses. When in manual mode, find your preferred brightness setting then click and hold the + button for 3 seconds to enter lockout mode.

Solar Charging Sight

Solar Charging Sights (SCS) can potentially operate indefinitely using an internal, rechargeable 20,000-hour battery meaning under even moderate exposure to bright light, you will never need to change batteries again. The SCS also includes an intensity override function which locks the optic into a high brightness mode for 30 minutes and a low power indicator which warns of low battery days before charging is needed.